

## Textile



## Blistered Packs



## Beauty Products



## Beauty Products



## Beauty products



## Beauty Products



## Wine - Alcohol




## Champagne



## Detacher



# B5-TAG



## FEATURES:

<b>1. For clothing and accessories</b>	<b>2. RF or AM detection</b>	<b>3. Safety closure with retractable nail</b>
<b>4. Universal magnetic opening</b>	<b>5. Robust polycarbonate structure</b>	<b>6. Patented</b>

## INSTRUCTIONS

1°



Place the safer on the detacher to open it

2°



Insert the safer on the clothing

3°



Push the button till the complete closure

### ENVIRONMENTAL CONSTRAINTS

#### Temperature

Maximum storage temperature not to exceed 60°C (140° F) for 96 hours at 80% RH.

### MAINTENANCE INSTRUCTION

#### Cleaning

Cleaning with warm water and drying with a soft, dry, non-abrasive hairless cloth.

### STORAGE INSTRUCTION

Stock in a suitable location, far away from chemical product or abrasive material.

### TEXTILE

Detection.....RF or AM  
Standard color.....Transparent  
Material.....Polycarbonate

Dimensions.....62x16x30mm  
Packaging.....500 pcs  
Box weight.....8,1 Kg  
Box dimensions.....600x400x180mm

# B5-PIN



## FEATURES:

1. the smallest hang tag present on the market for all European blister packs	2. The only small blister tag with double RF + AM detection	3. Safety closure with retractable nail
4. Universal magnetic opening	5. Robust polycarbonate structure	6. Patent pending

## INSTRUCTIONS



1°



Insert PIN-BLU-EU on the product

2°



Push the button till the end position

3°



CLICK!



PIN-BLU-EU is completely locked

4°

CLICK!



Put PIN-BLU-EU on the detacher to open it

### ENVIRONMENTAL CONSTRAINTS

#### Temperature

Maximum storage temperature not to exceed 60°C (140° F) for 96 hours at 80% RH.

### MAINTENANCE INSTRUCTION

#### Cleaning

Cleaning with warm water and drying with a soft, dry, non-abrasive hairless cloth.

### STORAGE INSTRUCTION

Stock in a suitable location, far away from chemical product or abrasive material.

### BLISTERED PACKS

Detection.....RF & AM  
Standard color.....Transparent  
Material.....Polycarbonate

Dimensions.....32,5x42x37mm  
Packaging.....200 pcs  
Box weight.....4,3 Kg  
Box dimensions.....360x310x125mm

# B5B/R



## FEATURES:

<b>1. Safer for blades packs</b>	<b>2. RF or AM detection</b>	<b>3. Suitable for the Eurobox exhibitor</b>
<b>4. Standard and super universal magnetic opening</b>	<b>5. Robust polycarbonate structure</b>	<b>6. Patented</b>

## INSTRUCTIONS




Insert the product in the BLAD28



Close the BLAD28



Click the button to close the BLAD28



Put BLAD28 on the detacher to open it and extract the product

### ENVIRONMENTAL CONSTRAINTS

#### Temperature

Maximum storage temperature not to exceed 60°C (140° F) for 96 hours at 80% RH.

### MAINTENANCE INSTRUCTION

#### Cleaning

Cleaning with warm water and drying with a soft, dry, non-abrasive hairless cloth.

### STORAGE INSTRUCTION

Stock in a suitable location, far away from chemical product or abrasive material.

### BEAUTY PRODUCTS

Detection.....RF or AM  
Standard color.....Transparent  
Material.....Polycarbonate

CODE	h	w	d
B5-B28	115	98	28
B5-B46	115	98	46
B5-R36	220	105	36



## FEATURES:

<b>1. Adjustable height</b>	<b>2. Minimal encumbrance</b>	<b>3. Maximum visibility</b>
<b>4. Movable blister hook</b>	<b>5. Closed Safer</b>	<b>6. Patented</b>



# PRF SERIES



## FEATURES:

1. Safers for perfumes and creams	2. RF + AM detection	3. Adjustable height
4. Standard and super universal magnetic opening	5. Robust polycarbonate structure	6. Patented

# CR SERIES



## FEATURES:

<b>1. Internal hinges</b>	<b>2. Maximum strength</b>	<b>3. Anti-intrusion system</b>
<b>4. Invisible opening</b>	<b>5. 3 dimensions</b>	



## FEATURES:

<b>1. Bottle collar for wine and alcohol</b>	<b>2. RF or AM detection</b>	<b>3. Universal magnetic opening</b>
<b>4. Robust polycarbonate structure</b>	<b>5. Patent pending</b>	

## INSTRUCTIONS



1°



Insert BTCOLV on the neck of the bottle

2°



Push the button till the end position

3°



BTCOLV is completely locked

4°



Put BTCOLV on the detacher to open it

### ENVIRONMENTAL CONSTRAINTS

#### Temperature

Maximum storage temperature not to exceed 60°C (140° F) for 96 hours at 80% RH.

### MAINTENANCE INSTRUCTION

#### Cleaning

Cleaning with warm water and drying with a soft, dry, non-abrasive hairless cloth.


### STORAGE INSTRUCTION

Stock in a suitable location, far away from chemical product or abrasive material.

### WINE - ALCOHOL

Detection.....RF or AM  
Standard color.....Transparent  
Material.....Polycarbonate

Internal diameter..... 28 mm



## FEATURES:

<b>1. Bottle collar for champagne</b>	<b>2. RF or AM detection</b>	<b>3. Universal magnetic opening</b>
<b>4. Robust polycarbonate structure</b>	<b>5. Patent pending</b>	

## INSTRUCTIONS




1°



Insert BTCOLC on the neck of the bottle

2°



Push the button till the end position

3°



BTCOLC is completely locked

4°



Put BTCOLC on the detacher to open it

### ENVIRONMENTAL CONSTRAINTS

#### Temperature

Maximum storage temperature not to exceed 60°C (140° F) for 96 hours at 80% RH.

### MAINTENANCE INSTRUCTION

#### Cleaning

Cleaning with warm water and drying with a soft, dry, non-abrasive hairless cloth.

### STORAGE INSTRUCTION

Stock in a suitable location, far away from chemical product or abrasive material.

### CHAMPAGNE - SPARKLING WINE

Detection.....RF or AM

Standard color.....Transparent

Material.....Polycarbonate

Internal diameter.....30 mm

## INSTRUCTIONS



Place the safer with standard closure on DIR1 detacher to open it

### ENVIRONMENTAL CONSTRAINTS

#### Temperature

Maximum storage temperature not to exceed 60°C (140° F) for 96 hours at 80% RH.

### MAINTENANCE INSTRUCTION

#### Cleaning

Cleaning with warm water and drying with a soft, dry, non-abrasive hairless cloth.

### STORAGE INSTRUCTION

Stock in a suitable location, far away from chemical product or abrasive material.

### DETACHER

Standard color.....Black  
Material.....ABS

Dimensions.....57ø x 16h mm  
Packaging.....1 pcs  
Guass.....5000